

Skin Care
at Work

Sterisol

STERISOL Hand Disinfectant Ethanol

Properties

Sterisol Hand Disinfectant Ethanol is an alcohol- based hand disinfectant containing 70 % w/w Ethanol and 10 % w/w propan-2-ol as active ingredients. The product is denaturated with propan-2-ol and t-Butyl and contains glycerin as a humectant as well as a thickening agent. The product is designated for frequent use and contains no perfume.



Fields of application

Hygienic hand disinfection

The product is suitable for hygienic application within the health care sector, food industry, kindergardens and all other sectors.



Efficacy

- Rapid and effective
- Broad effect against bacteria
- Good effect against virus
- Effect against Yeast
- No effect against spores

Tester

The product fulfills the demand of:

- EN 1500 - Hygienic handrub
- EN 12791 - Surgical handrub
- EN 13727 - Bactericidal efficacy
- EN 13624 - Yeasticidal efficacy
- EN14476:2013 - prA2:2016 mot MVA

Classification

Hygienic hand disinfectant, classified as biocidal product acc. Regulation (EU) No 528/2012 - PT1.

Environmental aspects

Recycle as plastic.

Ingredients

Active ingredients, Ethanol (70 % w/w), Propan-2-ol (10 % w/w).

Other ingredients: Aqua, Glycerin, t-Butyl Alcohol, Carbomer, Aminomethyl Propanol

Content of alcohol: 80 % w/w, 85 % v/v

Packaging	Art no	No / ctn	No ctns / pallet	No on pallet	EAN-code	Amount of packaging / litre product
350 ml	4135	12	90	1080	7392173001315	117 gram
Flammable liquid. Transp classification Class 3, Limited quantities					HS 38089490	



Usage instructions

Hygienic hand disinfection

Apply not less than 3 ml Sterisol Hand disinfectant Ethanol (two separate dosages when using StS 0,7 l) on your dry hands. Rub to dryness (at least 30 seconds) Cover all surfaces of your hands and wrists. Let your hands dry in the air. Repeat the procedure once more.

Surgical hand disinfection, immediate effect

1. Before applying Sterisol Hand Disinfectant, pre-wash hands and forearms with Sterisol Liquid Soap. Dry hands completely using sterile paper towels.
2. Dispense required amount of hand disinfectant onto hands.
3. Ensure Sterisol Hand Disinfectant covers all surfaces of hands, wrists and forearms to elbows.

Glove puncture during a procedure

If, during surgery, the gloves become punctured or torn, they should be removed. At this stage the hands can easily be further decontaminated. Sterisol Hand Disinfectant should be used according to instructions above.